0590



OIPE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/963,668B

DATE: 01/09/2002 TIME: 14:39:35

Input Set : A:\211283ms.app

Output Set: N:\CRF3\01082002\1963668B.raw

## **ENTERED**

3 <110> APPLICANT: RIEPING, MECHTHILD														
4 BASTUCK, CHRISTINE														
5 HERMANN, THOMAS														
6 THIERBACH, GEORG														
8 <120> TITLE OF INVENTION: FERMENTATIVE PROCESS FOR THE PREPARATION OF L-AMINO ACID	DS													
9 USING STRAINS OF THE FAMILY ENTEROBACTERIACEAE														
11 <130> FILE REFERENCE: 21123/283665/MAS														
13 <140> CURRENT APPLICATION NUMBER: 09/963,668B														
4 <141> CURRENT FILING DATE: 2001-09-27														
6 <150> PRIOR APPLICATION NUMBER: DE 100 48 605.3														
7 <151> PRIOR FILING DATE: 2000-09-30														
9 <150> PRIOR APPLICATION NUMBER: DE 100 55 516.0														
20 <151> PRIOR FILING DATE: 2000-11-09														
22 <150> PRIOR APPLICATION NUMBER: DE 101 30 192.8														
23 <151> PRIOR FILING DATE: 2001-06-22														
25 <160> NUMBER OF SEQ ID NOS: 19														
27 <170> SOFTWARE: Patentin Ver. 2.1														
29 <210> SEQ ID NO: 1														
30 <211> LENGTH: 1623														
31 <212> TYPE: DNA														
32 <213> ORGANISM: Escherichia coli														
34 <220> FEATURE:														
35 <221> NAME/KEY: CDS														
36 <222> LOCATION: (1)(1620)														
37 <223> OTHER INFORMATION: pckA														
39 <400> SEQUENCE: 1														
40 atg cgc gtt aac aat ggt ttg acc ccg caa gaa ctc gag gct tat ggt 48														
41 Met Arg Val Asn Asn Gly Leu Thr Pro Gln Glu Leu Glu Ala Tyr Gly														
42 1 5 10 15														
44 atc agt gac gta cat gat atc gtt tac aac cca agc tac gac ctg ctg 96														
45 Ile Ser Asp Val His Asp Ile Val Tyr Asn Pro Ser Tyr Asp Leu Leu														
46 20 25 30														
48 tat cag gaa gag etc gat eeg age etg aca ggt tat gag ege ggg gtg 144														
49 Tyr Gln Glu Glu Leu Asp Pro Ser Leu Thr Gly Tyr Glu Arg Gly Val														
50 35 40 45														
52 tta act aat ctg ggt gcc gtt gcc gtc gat acc ggg atc ttc acc ggt 192														
53 Leu Thr Asn Leu Gly Ala Val Ala Val Asp Thr Gly Ile Phe Thr Gly														
54 50 55 60														
56 cgt tca cca aaa gat aag tat atc gtc cgt gac gat acc act cgc gat 240														
57 Arg Ser Pro Lys Asp Lys Tyr Ile Val Arg Asp Asp Thr Thr Arg Asp														
58 65 70 75 80														
60 act ttc tgg tgg gca gac aaa ggc aaa ggt aag aac gac aac aaa cct 288														
61 Thr Phe Trp Trp Ala Asp Lys Gly Lys Gly Lys Asn Asp Asn Lys Pro														
62 85 90 95														
64 ctc tct ccg gaa acc tgg cag cat ctg aaa ggc ctg gtg acc agg cag 336														
65 Leu Ser Pro Glu Thr Trp Gln His Leu Lys Gly Leu Val Thr Arg Gln														
66 . 100 105 110														

DATE: 01/09/2002 RAW SEQUENCE LISTING PATENT APPLICATION: US/09/963,668B TIME: 14:39:35

Input Set : A:\211283ms.app
Output Set: N:\CRF3\01082002\I963668B.raw

68	ctt	tcc	ggc	aaa '	cgt	ctg	ttc	gtt	gtc	gac	gct	ttc	tgt	ggt	gcg	aac	384
69	Leu	Ser	Gly	Lys	Arg	Leu	Phe		Val	Asp	Ala	Phe	Cys	Gly	Ala	Asn	
70			115					120					125				400
73	ccg	gat	act	cgt	ctt	tcc	gtc	cgt	ttc	atc	acc	gaa	gtg	gcc	tgg	cag	432
74	Pro		Thr	Arg	Leu	Ser		Arg	Phe	Ile	Thr		Val	Ala	Trp	GIn	
75		130					135					140					400
77	gcg	cat	ttt	gtc	aaa	aac	atg	ttt	att	cgc	ccg	agc	gat	gaa	gaa	ctg	480
		His	Phe	Val	Lys		Met	Pne	тте	Arg		ser	Asp	GIU	GIU	160	
	145					150			-++	5 t a	155	~~~	a a a	224	+ ~ ~		528
81	gca	ggt	ttc	aaa	cca	gac	בננ	atc	yıı	Mot	Aco	Clar	gcg	Tue	Cve	Thr	320
	Ala	GTA	Pne	ьуs		ASP	Pne	тте	vaı	170	ASII	ату	Ala	цуз	175	TILL	
83			~~~	+	165	~~~	030	aat	oto		tee	паа	aac	ttc		aca	576
85	aac	Dro	Cay	Trn	Tuc	Glu	Cay	Gl v	Len	Agn	Ser	Glu	Asn	Phe	Val	Ala	3,0
	ASII	PIO	GIII	180	ьуѕ	GIU	GIII	СТУ	185	поп	JCI	Olu	11011	190	,		
87	+++	220	cta		αασ	cac	atσ	cad		att	aac	aac	acc		tac	ggc	624
90	Dho	Δan	T.e.ii	Thr	Glu	Ara	Met	Gln	Leu	Ile	Glv	Glv	Thr	Trp	Tyr	Gly	
91	FIIC	non	195	1111	01.4			200			2		205	•	*	-	1
	aac	αаа		aaσ	aaa	aaa	atq		tcq	atq	atg	aac	tac	ctg	ctg	ccg	672
94	Glv	Glu	Met	Lvs	Lvs	Gly	Met	Phe	Ser	Met	Met	Asn	Tyr	Leu	Leu	Pro	
95	U-1	210		-1-		•	215					220	-				
97	ctq	aaa	qqt	atc	gct	tct	atg	cac	tgc	tcc	gcc	aac	gtt	ggt	gag	aaa	720
98	Leu	Lys	бĺу	Ile	Ăla	Ser	Met	His	Cys	Ser	Ala	Asn	Val	Gly	Glu	Lys	
99	225	_				230					235					240	
101	Liggo	gat	gt1	t gcg	ggt	tto	: tto	ggc	ctt	tcc	ggc	acc	ggt	aaa	acc	acc	768
102	Gly	/ As	va:	l Ala	ı Val	l Phe	Phe	e Gly	/ Leu	ı Ser	Gl	Thi	Gly	. Lys		Thr	
103					245					250					255		01.5
105	5 ctt	tc	c acc	c gad	c cc	g, aaa	cgt	: cgc	cto	, att	ggc	gat	gac	gaa	a cac	ggc	816
106	Let	ı Sei	r Th			o Lys	Arg	J Arg			e GT2	ASE	Asp			s Gly	
107				260					265					270	-		864
109	tgo	g gad	gat	t gad	gge	gtg	l tti	aac	Db.	gaa	ggo	. ggc	; Lgc	Lac	y y c	aaa	004
	_	Asp			o GI	y vai	. Pne			s GIL	( GI)	, GT	285		. Alc	a Lys	
111			27!		. +	·		280		. cct	· maa	ato			r act	atc	912
114	) act	. dl(	c day	y CLY	COL	y aac r Two	. Gli	ι Αλε	y gac	Dro	. gut	1 Tle	TVr	Asr	n Ala	a Ile	7
115		290		ь пес	1 261	Luya	295		. 010	1 110	, 010	300					
				ר מכנ	T ++0	r cto	-		a at.o	acc	ato			gat	. qqq	c act	960
118	l Δrc	. Cy	J AG!	n Ala	i Tei	ı Leu	Gli	ı Asr	val	Thr	· Va]	LArc	Glu	Asr	G13	y Thr	
	305		j ADI		1 1100	310					315		,	•		320	
121	ato	, c σac	e tti	t. gat	gat			a aaa	acc	gad			cgc	gtt	tct	tat	1008
122	2 T16	Ası	o Phe	e Asr	Ası	5 G1v	sei	Lys	Thi	. Glu	Ası	n Thi	Arg	va]	l Sei	r Tyr	
123		1	-	<u>-</u>	32			•		330	)		•		335	5	
125	o cco	ato	c tai	t cad	ato	e gat	aac	att	. gtt	aag	cc	g gtt	tcc	aaa	a gcg	g ggc	1056
126	5 Pro	Ile	е Ту	r His	s Ile	e Āsp	Ası	ı Il $\epsilon$	val	Lys	Pro	val	L Ser	Lys	s Ala	a Gly	
127	7			340	)				345	5				350	) .		
129	cad	ge	gact	t aag	g gti	t ato	tto	ctg	g act	gct:	. gat	gct.	tto	gg	gto	g ttg	1104
130	) His	s Ala	a Thi	r Lys	s Vai	l Ile	Phe			Ala	. Ası	) Ala			y Val	l Leu	
133	L		35					360					365			ı.	
134	l cc	i cc	g gt	t tct	c cg	c ctg	act	gco	gat	caa	aco	cag	y tat	cac	c tto	ctc	1152

DATE: 01/09/2002 RAW SEQUENCE LISTING PATENT APPLICATION: US/09/963,668B TIME: 14:39:35

Input Set : A:\211283ms.app
Output Set: N:\CRF3\01082002\1963668B.raw

13	Pro	Pro	Val	Ser	Arg	Leu	Thr	Ala	Asp	Gln	Thr		$\mathtt{Tyr}$	His	Phe	Leu	
130		370					375					380					
138	tct t	ggc	ttc	acc	gcc	aaa	ctg	gcc	ggt	act	gag	cgt	ggc	atc	acc	gaa	1200
139	9 Ser	Gly	Phe	Thr	Ala	Lys	Leu	Ala	Gly	Thr	Glu	Arg	Gly	Ile	Thr	Glu	
140	385					390					395					400	
142	ccg	acg	cca	acc	ttc	tcc	gct	tgc	ttc	ggc	gcg	gca	ttc	ctg	tcg	ctg	1248
	Pro																
14					405					410					415		
14	cac	ccq	act	caq	tac	qca	qaa	qtq	ctg	gtg	aaa	cgt	atg	cag	gcg	gcg	1296
14	7 His	Pro	Thr	Gl'n	Tvr	Ála	Ğlu	Val	Leu	Val	Lys	Arg	Met	Gln	Ala	Ala	
148				420	•				425		-	_		430			
	) ggc	aca	cag		tat	cta	att	aac	act	qqc	tqq	aac	qqc	act	qqc	aaa	1344
	l Gly																
152	_	1114	435		-1-		,	440		1	1		445		1	-1-	
	Logt	atc		att	aaa	σat	acc		acc	att	atc	gac	acc	atc	ata	aac	1392
	Arg																
150		450	JCI	110	ц	пор	455	1119	2124	110		460				11011	
	, 3 ggt		ata	a t	aat	aca.		200	ttc	act	cta		ato	+++	aac	cta	1440
	Gly																7,110
	_	ser	Leu	АЗР	ASII	470	Giu	1111	FIIC	1 111	475	110	Mec	riie	A511	480	
	465	a t- a		200	~~~		000	aaa	a+ a	<b>424</b>		224	2++	ata	rat		1488
	gcg																1400
	3 Ala	rre	PLO	THE		ьеи	PIO	СТА	vai		1111	цуъ	тте	ьеи		PIO	
164					485	4 - 4				490		~~~			495		1526
	cgt																1536
	Arg	Asn	Thr		Ala	ser	Pro	GIU		Trp	GIII	GIU	гÀг		Glu	THE	
168				500					505					510			1504
	) ctg																1584
	Leu	Ala	_	Leu	Pne	TTE	Asp		Pne	Asp	ьуs	Tyr		ASP	Thr	PIO	
172			515					520					525				1.000
	gcg												taa				1623 (
	Ala	_	Ala	Ala	Leu	Val		Ala	GLY	Pro	ьуs						
176		530			_		535					540					
	<21															•	
	<21				10												
	<21							_									
	<21					nerio	chia	col	Ļ								
	<40													_		_	
	Met	Arg	Val	Asn	Asn	Gly	Leu	Thr	Pro	Gln	Glu	Leu	Glu	Ala		Gly	
186					5					10					15		
188	3 Ile	Ser	Asp	Val	His	Asp	Ile	Val	Tyr	Asn	Pro	Ser	Tyr	Asp	Leu	Leu	
189				20					25					30			
191	. Tyr	Gln	Glu	Glu	Leu	Asp	Pro	Ser	Leu	Thr	Gly	Tyr	Glu	Arg	Gly	Val	
192	2		35					40					45				
194	Leu	Thr	Asn	Leu	Gly	Ala	Val	Ala	Val	Asp	Thr	Gly	Ile	Phe	Thr	Gly	
199		50					55					60					
197	' Arg	Ser	Pro	Lys	Asp	Lys	Tyr	Ile	Val	Arg	Asp	Asp	Thr	Thr	Arg	Asp	
198						70					75					80	
200	Thr	Phe	Trp	Trp	Ala	Asp	Lys	Gly	Lys	Gly	Lys	Asn	Asp	Asn	Lys	Pro	
203	-				85					90					95		

DATE: 01/09/2002 RAW SEQUENCE LISTING TIME: 14:39:35 PATENT APPLICATION: US/09/963,668B

Input Set : A:\211283ms.app
Output Set: N:\CRF3\01082002\1963668B.raw

														_		_
203	Leu	Ser	Pro	Glu	Thr	$\mathtt{Trp}$	Gln	His		Lys	Gly	Leu	Val		Arg	Gln
204				100					105			_	_	110		_
206	Leu	Ser	Gly	Lys	Arg	Leu	Phe		Val	Asp	Ala	Phe		GLY	Ala	Asn
207			115					120				_	125		_	
209	Pro	Asp	Thr	Arg	Leu	Ser	Val	Arg	Phe	Ile	Thr		Val	Ala	Trp	Gln
210		130					135					140				
212	Ala	His	Phe	Val	Lys	Asn	Met	Phe	Ile	Arg		Ser	Asp	Glu	Glu	
213	145					150					155					160
215	Ala	Gly	Phe	Lys	Pro	Asp	Phe	Ile	Val	Met	Asn	Gly	Ala	Lys		Thr
216					165					170					175	
218	Asn	Pro	Gln	Trp	Lys	Glu	Gln	Gly		Asn	Ser	Glu	Asn		Val	Ala
219				180					185					190		
221	Phe	Asn	Leu	Thr	Glu	Arg	Met	Gln	Leu	Ile	Gly	Gly	Thr	Trp	Tyr	Gly
222			195					200					205			
224	Gly	Glu	Met	Lys	Lys	Gly	Met	Phe	Ser	Met	Met		Tyr	Leu	Leu	Pro
225		210					215					220				
227	Leu	Lys	Gly	Ile	Ala	Ser	Met	His	Cys	Ser		Asn	Val	Gly	Glu	
228	225					230					235					240
230	Gly	Asp	Val	Ala	Val	Phe	Phe	Gly	Leu	Ser	Gly	Thr	Gly	Lys		Thr
231					245					250					255	
233	Leu	Ser	Thr	Asp	Pro	Lys	Arg	Arg	Leu	Ile	Gly	Asp	Asp	Glu	His	Gly
234				260					265					270		
236	Trp	Asp	Asp	Asp	Gly	Val	Phe	Asn	Phe	Glu	Gly	Gly		Tyr	Ala	Lys
237			275					280					285			
239	Thr	Ile	Lys	Leu	Ser	Lys	Glu	Ala	Glu	Pro	Glu		Tyr	Asn	Ala	Ile
240		290					295					300				
242	Arg	Arg	Asp	Ala	Leu	Leu	Glu	Asn	Val	Thr	Val	Arg	Glu	Asp	Gly	
	305					310					315					320
245	Ile	Asp	Phe	Asp	Asp	Gly	Ser	Lys	Thr		Asn	Thr	Arg	Val		$\mathtt{Tyr}$
246					325					330					335	
248	Pro	Ile	Tyr	His	Ile	Asp	Asn	Ile		Lys	Pro	Val	Ser		Ala	GIA
249				340					345				_	350		
251	His	Ala	Thr	Lys	Val	Ile	Phe		Thr	Ala	Asp	Ala		Gly	Val	Leu
252			355					360			_	_	365			_
254	Pro	Pro	Val	Ser	Arg	Leu	Thr	Ala	Asp	Gln	Thr		Tyr	His	Phe	Leu
255		370					375					380			_,	-1
257	Ser	Gly	Phe	Thr	Ala		Leu	Ala	Gly	Thr		Arg	GLY	He	Thr	GLu
	385				•	390				_	395				_	400
260	Pro	Thr	Pro	Thr	Phe	Ser	Ala	Cys.	Phe		Ala	Ala	Phe	Leu		Leu
261					405					410					415	
263	His	Pro	Thr		Tyr	Ala	Glu	Val		Val	Lys	Arg	Met		Ala	Ala
264				420					425		_	_		430		_
266	Gly	Ala	Gln	Ala	Tyr	Leu	Val		Thr	Gly	Trp	Asn		Thr	Gly	Lys
267			435					440			_ =	_	445		_	_
269	Arg	Ile	Ser	Ile	Lys	Asp	Thr	Arg	Ala	Ile	Ile		Ala	Ile	Leu	Asn
270		450					455		_		_	460			_	_
272	Gly	Ser	Leu	Asp	Asn		Glu	Thr	Phe	Thr		Pro	Met	Phe	Asn	
273	465					470		_	_		475	_		_	_	480
275	Ala	Ile	Pro	Thr	Glu	Leu	Pro	Gly	Val	Asp	Thr	Lys	Ile	Leu	Asp	Pro

DATE: 01/09/2002

TIME: 14:39:35

Input Set : A:\211283ms.app Output Set: N:\CRF3\01082002\I963668B.raw 485 490 495 276 278 Arg Asn Thr Tyr Ala Ser Pro Glu Gln Trp Gln Glu Lys Ala Glu Thr 505 500 281 Leu Ala Lys Leu Phe Ile Asp Asn Phe Asp Lys Tyr Thr Asp Thr Pro 520 282 284 Ala Gly Ala Ala Leu Val Ala Ala Gly Pro Lys Leu 285 530 535 289 <210> SEQ ID NO: 3 290 <211> LENGTH: 1156 291 <212> TYPE: DNA 292 <213> ORGANISM: Escherichia coli 294 <220> FEATURE: 295 <221> NAME/KEY: misc\_feature 296 <222> LOCATION: (1)..(1156) 297 <223> OTHER INFORMATION: Mutagene DNA 299 <220> FEATURE: 300 <221> NAME/KEY: misc\_feature 301 <222> LOCATION: (1)..(35) 302 <223> OTHER INFORMATION: Technical DNA/residues of the polylinker sequence 304 <220> FEATURE: 305 <221> NAME/KEY: misc\_feature 306 <222> LOCATION: (36)..(522) 307 <223> OTHER INFORMATION: Part of the 5' region (pck1) of the pckA gene 309 <220> FEATURE: 310 <221> NAME/KEY: misc\_feature 311 <222> LOCATION: (523)..(542) 312 <223> OTHER INFORMATION: Technical DNA/residues of the polylinker sequence 314 <220> FEATURE: 315 <221> NAME/KEY: misc\_feature 316 <222> LOCATION: (543)..(1105) 317 <223> OTHER INFORMATION: Part of the 3' region (pck2) of the pckA gene 319 <220> FEATURE: 320 <221> NAME/KEY: misc\_feature 321 <222> LOCATION: (1106)..(1156) 322 <223> OTHER INFORMATION: Technical DNA/residues of the polylinker sequence 324 <400> SEQUENCE: 3 325 ctaqtaacqq ccqccaqtqt qctqqaattc qqcttqatcc qaqcctqaca qqttatqaqc 60 326 geggggtgtt aactaatetg ggtgeegttg eegtegatae egggatette aeeggtegtt 120 327 caccaaaaga taagtatatc gtccgtgacg ataccactcg cgatactttc tggtgggcag 180 328 acaaaqqcaa aqqtaaqaac gacaacaaac ctctctctcc ggaaacctgg cagcatctga 240 329 aaggeetggt gaecaggeag ettteeggea aaegtetgtt egttgtegae getttetgtg 300 330 gtgcgaaccc ggatactcgt ctttccgtcc gtttcatcac cgaagtggcc tggcaggcgc 360 331 attttgtcaa aaacatgttt attcgcccga gcgatgaaga actggcaggt ttcaaaccag 420 332 actttategt tatgaaegge gegaagtgea etaaeeegea gtggaaagaa eagggtetea 480 333 actecqaaaa ettegtqqeq tttaaeetga eegagegeat geaageegaa ttetgeagat 540 334 cctgaagatg gcactatcga ctttgatgat ggttcaaaaa ccgagaacac ccgcgtttct 600 335 tatccgatct atcacatcga taacattgtt aagccggttt ccaaagcggg ccacgcgact 660

336 aaggttatet teetgaetge tgatgettte ggegtgttge egeeggttte tegeetgaet 720 337 geegateaaa eeeagtatea etteetetet ggetteaeeg eeaaaetgge eggtaetgag 780

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/963,668B

.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/963,668B

DATE: 01/09/2002

TIME: 14:39:36

Input Set : A:\211283ms.app

Output Set: N:\CRF3\01082002\1963668B.raw